PR ST: 11A STUDENT HEALTH SUPPORT FORM B - ANAPHYLAXIS

WINDSOR-ESSEX CATHOLIC DISTRICT SCHOOL BOARD		PR ST: 11A STUDENT HEALTH SUPPORT FORM B - ANAPHYLAXIS					
PREVALE	NT MEDICAL CO PLAN C	NDITION — ANA OF CARE	APH)	(LAXIS			
		IFORMATION	-				
Student Name	Date of	Date of Birth					
Ontario Ed. #	Age	Age		Student Photo (optional)			
Grade HR	Teache	Teacher(s)					
EMERGENCY CONTACTS (LIST IN PRIORITY)							
NAME	RELATIONSHIP	DAYTIME PHONE		ALTERNATE PHONE			
1.							
2.							
3.							
KNOWN LIFE-THREATENING TRIGGERS							
CHECK (✓) THE APPROPRIATE BOXES							
□ Food(s):		Insect Stings:					
□ Other:							
Epinephrine Auto-Injector(s)	Expiry Date(s):						
Dosage: □ EpiPen® Jr. 0.15 mg	•	•					
 Previous anaphylactic reaction: Student is at greater risk. Has asthma. Student is at greater risk. If student is having a reaction and has difficulty breathing, give epinephrine before asthma medication. Any other medical condition or allergy? 							
Page 1 of 4							

Plan of Care for:					
DAILY/ROUTINE ANAPHYLAXIS MANAGEMENT					
SYMPTOMS A STUDENT HAVING AN ANAPHYLACTIC REACTION MIGHT HAVE <u>ANY</u> OF THESE SIGNS AND SYMPTOMS:					
 Skin system: hives, swelling (face, lips, tongue), itching, warmth, redness. Respiratory system (breathing): coughing, wheezing, shortness of breath, chest pain or tightness, throat tightness, hoarse voice, nasal congestion or hay fever-like symptoms (runny, itchy nose and watery eyes, sneezing), trouble swallowing. Gastrointestinal system (stomach): nausea, vomiting, diarrhea, pain or cramps. Cardiovascular system (heart): paler than normal skin colour/blue colour, weak pulse, passing out, dizziness or lightheadedness, shock. Other: anxiety, sense of doom (the feeling that something bad is about to happen), headache, uterine cramps, metallic taste. EARLY RECOGNITION OF SYMPTOMS AND IMMEDIATE TREATMENT COULD SAVE A PERSON'S LIFE. 					
Avoidance of an allergen is the main way to prevent an allergic reaction.					
Food Allergen(s): eating even a small amount of a certain food can cause a severe allergic reaction. Food(s) to be avoided:					
Safety measures:					
Insect Stings : (Risk of insect stings is higher in warmer months. Avoid areas where stinging insects nest or congregate. Destroy or remove nests, cover or move trash cans, keep food indoors.)					
Designated eating area inside school building					
Safety measures:					
Other information:					
Page 2 of 4					

Plan of Care for: _____

EMERGENCY PROCEDURES (DEALING WITH AN ANAPHYLACTIC REACTION)

ACT QUICKLY. THE FIRST SIGNS OF A REACTION CAN BE MILD, BUT SYMPTOMS CAN GET WORSE QUICKLY.

STEPS

- 1. Give epinephrine auto-injector (e.g. EpiPen®) at the first sign of known or suspected anaphylactic reaction.
- 2. Call 9-1-1 or local emergency medical services. Tell them someone is having a lifethreatening allergic reaction.
- 3. Give a second dose of epinephrine as early as five (5) minutes after the first dose if there is no improvement in symptoms.
- 4. Go to the nearest hospital immediately (ideally by ambulance), even if symptoms are mild or have stopped. The reaction could worsen or come back, even after treatment. Stay in the hospital for an appropriate period of observation as decided by the emergency department physician (generally about 4 6 hours).
- 5. Call emergency contact person; e.g. Parent(s)/Guardian(s).

			Plan of Care for:		
н	EALTHCARE P		NFORMATION		
	•		ctitioner, Registered Nurse, Pharmacist, Certified Asthma Educator.		
Healthcare Provider's Nar	ne:				
Profession/Role:					
Signature:	Date:				
Special Instructions/Notes	/Prescription Labe	ls:			
for which the authorization	n to administer app	lies, and poss	ncy and method of administration, dates ible side effects. ges to the student's medical condition.		
	AUTHORIZA	TION/PLAN	I REVIEW		
INDIVIDUAI	S WITH WHOM T	HIS PLAN OF	CARE IS TO BE SHARED		
1	2		3		
Other Individuals To Be C			e:		
After-School Program	□ Yes	🗖 No	<u> </u>		
School Bus Driver/Route	# (If Applicable)				
Other:					
reviewed on or before:			ol year without change and will be (It is the parent(s)/guardian(s) ange the plan of care during the school		
Parent(s)/Guardian(s):			Date:		
() () ==	Signature				
(), ()					
			Date:		
Student:	Signature				